

26/6/17

2-3 CHESTER ROAD: MON. 7:20

- STRIP + RECORD LOWER TERRACE
- TAKE DOWN TO ARCHAEOLOGICAL LAYER
- CORELES/SETS +/- OR NATURAL
- RENAKER
- 8m WIDE BUFFER ZONE IN PART OF SITE
- RESULTS RECORDED PRO-FORMA CS
- HML
- QUAY BAR E. PART OF CPE, NO ARCH. POTENTIAL TO BE EXPECTED, DEEP FORD MODERN BUILDING
- LOWER TERRACE, STRIP + PLAN BETWEEN QUAY BAR (SITE OF), CANAL TOW PATH, LUND + TREE PROTECTION ZONE

NOTES: LOWER TERRACE

L-SHAPED ERM TRENCH ON LOWER
TERRACE

DIRECTLY BELOW VEG = STONE SETT
SURFACE, APPROX 2.5M BELOW THE TOP
OF WML

SETT BEDDED ON SAND $\geq 0.1M$ OF
MODERN CONC + FRACTURED STONE
OVERBORDEN 0.3-0.5M THICKNESS
BELOW OVERBORDEN = CRUSHED
STONE + SAND 0.15M

STONE CRUSHED (REDEF. NAT) OVERLAIN
AN ASHY SANDY DEPOSIT IN PART
OF THE SITE, BEYOND WALL (O10)

ASHY SAND ^(O09) STRAT ABOVE WALL (O10)
PHYSICALLY HEAVE (O12)
WALL CUT (NO NUMBER) CUTS THROUGH

DEGRADED STONE (O12)

WALL BEDDED ON BLuish GREY CLAY

(O11) ~~SETT~~ (FIRM) CHARCOAL, CONC, 18TH/19TH
CENTURY POTTERY, BONE INCLUSIONS
MAY HAVE BEEN RIVER WASH.

[000] -- MODERN INTRUSION / TBM PIT
CUT THROUGH COBBLE SURFACE, AVOIDS
OBS. SKIPPED WITH LOOSE MIXED
COBBLE SANDY CLAY MATRIX

[004] -- 1.6M - 1.7M WIDE
LINEAR CUT FEATURE ^X THE SANDWAY
BANKFACED W/ LOOSE SAND +
FRAGMENTED SPONGE
CUTS THROUGH RB + PARTIALLY PSARS.





(005) RB ROUNDER BRAN (007)
LAYER (MED - PART MED)

(006) = TOGETHER 0.9M THICK.
POOR CLARITY OF NOTATION BETWEEN LAYERS.

(006) MAY ALSO BE SIMILAR TO (011)
BRAN WML

TBM - 27.540M AOD

① DIFFERENTIAL SECTIONS



← RETAINING WALL →

24/06/17

WALL AND REMAINING GROUND
EITHER SIDE CLEARED, SHOWED WALL
ON TOP OF FIRM CHY. ^{SANDY/SILT} LAYER (POSS.
RIVER DEPOSITED) THIS CONTAINED A
MIXTURE OF POST MED + RB POTTERY.
THE LAYER ABOVE THE WALL SIMILARLY
CONTAINED POST-MED-INDUSTRIAL DEBRIS POT
AND FRAGMENTED BRICK (MOTTLED SANDY LAYER)

WALL LARGE, NO CONSTRUCTION TRENCH
VISIBLE, FREESTANDING??

CONTEMPORARY GROUND LEVEL = (012)


NO RELATIONSHIP TO FLOOR SURFACE

PROBABLY IT WAS A STRUCTURE IN OWN RIGHT
RIVER WALL PRE-DATING CANAL

SURVIVING AS FOUNDATION COURSE




1 COURSE HIGH

MASONS' MARKS - NO TOOL MARKS (NO)



29/06/17

TRIAL PIT RESECTION
CONTAINING WALL FACING



ESTIMATED TO A MAXIMUM
DEPTH OF

1.7m below ground level on
canal side of trench NRM (adj to
retaining wall)


2.6m from conc. foundation
unknown German tower ends of
trench


↓
Sub circular found started 751
negative feature



MARKS 611 Q17A


W
4
M
+






SKETCH PLAN MEASURED
ELEVATION MEASURED
T'

W. FINS EXPOSED



Rooms



ROOM I

FLATU STONE FLOOR. CONSTRUCTED OVER 0.3 M OF
SAND OVER KOROKU, FIRECLAY + SAND SETTING
DOORS AT SE + NW ENDS OF ROOM
SE DOOR - BLOCKED UP.

UNVAULTED CELLAR

CELLAR BELOW ROOMS 2, 3, 4.

BRICK H/M, LIMESTONE MORTAR STRUCTURE
ON SW SIDE STEEPED BEDROCK SUPPORTING
THE CURVED BARREL VAULTED CEILING,
B/W ON NE SIDE, BRICK FLOOR (ON BED) ^{STRAIGHT}
ENDING NE-SW ^{END}

0.3-0.4M B: OF SAND + BROKEN BEDROCK
OVER BEDROCK + BELOW BRICK FLOOR

UNVAULTED CEILING, 2 COURSES THIN.
PUDDLE CLAY ON CROWN CASTING W/ PROOF

SOME ~~SEVERAL~~ RECTANGULAR ALLOVE UNDER

WALL AT E END OF CELLAR 1.1M DEEP, 1.3m
2.85m MAX HEIGHT.

CELLARS CONT. FROM ~~NE~~ E. MOST WALL
TO LIMIT / BOUNDARY OF SIDE ON SW SIDE.
REBORN WITH DEGRADED 1940s LAMINATE
LANDJURAND.

FRONT WALL 3.5m FROM TOP OF
FROM LEVEL

"SMITHY"

SMITHY (ROOMS 3+4)

° FLAG FLOOR OVER SAND OVER CELLAR
° FRONT WALL CONTINUATION OF THE
WALL SURVIVED BY R.K. AS FRONT
WALL OF ROOM 2. 3 COURSES

° WALL ~~2~~ H/M ~~2~~ RED-DASH BRICK GUY
MORTAR HARD - BRICK SANDY / ASHY
LIME WASH (MIDDLE of ROOM)


° DOOR SOCKET / POST RECESS + HOLES IN F.
ADJ TO WALL.

° SIMILARLY THE NW. OF ROOM 2 SITTING
ON FLAG SURFACE.

° OUTSIDE CONT. OF FLAG

° EARLY VUL. BRICK NECH + 1930s ENAMEL
STAIN FROM 3+4.

° NOT ROOM 5 (BRICK FLOOR) DESTROYED
DUE TO TRIM PT.



SUPPORT
WALL
ADDED LATER
POST FOR

CELL 3.

Support

W.D. 3

2-4 CHESTER RD

A BLOCK OF OUTBUILDINGS EXPOSED TO THE EASTERN SIDE OF ROOMS. 1+2 RUNNING UNDER THE BUILDING A DRAIN.


4M LONGER
N/S
→ 3 COURSE WALL WITH PERPENDICULAR 2 COURSE DIVISIONS. LATER WALLS ADDED AT NORTHERN END.


3 COURSE, 4M B/W 4.7M LONG X 0.39M WIDE SURROUNDING HEIGHT 1.6M (+)

N(NORTH)
FIRST COURSE FORMED BY 3 WALLS THE WALL PARALLEL TO THE RETAINING WALL LATE 19th DAWN CREW NORTH HAND-MADE BRICKS, IRREGULAR BOND, RESTING ON LOOSE RUBBLE/ASH MATERIAL




SURV. TO 0.18M HEIGHT, 1.95M, 0.25M OVER BETWEENWORK IN TABBLE OF RETAINING WALL


1 SWIN BRICKS TIED INTO (ABOVE) RUNNING N-S (PARALLEL TO 3 COURSE WALL) FURTHER ON. 0.55M SH. 0.18M X 0.97M, WEDGED INTO PERP. SWIN OR WALL





NEW COURSE





UPPER TERRACE

STRIP - RECORDS TOP TERRACE
BOUNDARY TO CASTLEGATE

PLOUGH / GARDEN SOIL EXPOSED 0-5m
BELOW TOP OF PILING CAN,
ABOVE THAT A ROUND COBBLE SURFACE
AND SET SURFACE

GARDEN AREA

MOVING FROM THE HOUSE FOOTPRINT
EASTWARDS LESS DISORDERED
SERIES OF COBBLE + BEIRN SURFACES
RARE MORTAR FRAGILE CARBON JET

0.2 - 0.6m BELOW GRAVE COVER ^(19m)

FLY BATH RUBBLE INCLUSIONS, HEAVY
DWC.

BECOMING CLEANER / LESS INTERRUPTED LOWER
DOWN)

GARDEN SOIL

BROADBAM DRAIN LAYER - LARGER TUBES

DEPOSIT - SIMILAR COLOUR +

COMPOSITION TO PLACONSON AT BASE
OF MOUND

THE UNDERLYING DEPOSIT (MID BRONZE AGE)
YELLOW CLAY SAND, FLECKED
SANDSTONE BOUNDED

UPPER TERRACE:


REMANANTS OF GARDEN PATH TO
E/NE OF HOUSE, 1.35M ABOVE STONE
PATH FLANKED BY SANDSTONE SETTS ON
WESTERN SIDE AND SANDSTONE CURB ON
E. SIDE. FORMED OF ROUND TO 5-Round
PEBBLES SITTING, ON COMPACTED CLAY
SANDS WITH ^{RED} HORIZ. STRIATION + COAL, CHARCOAL
ON POINT BETW. SCAVENGE UP ON E. EDGE

B' WALL TO S. OF PATH — STRUTTERS 4/M
2 COURSE WIDE. 0.22 x 0.65

NW CORNER OF PATH BORN WALL INFERRED
INTO / NEWLY COBBLED ^{rough}
3 COURSES WIDE (RUNNING 'N-S')
0.35m x 0.46m

PATH PROBABLY AJR. WITH SPREAD OF
COBBLES TO N/NW (TO E. OF DIAPY.)


41M
3 COARSE (2)
0.35 x 0.46M
(2.0)



14/7/17

REP SEC A


UPPER TERRACE



- ① OVERBORDEN RUBBLE BUILDING MATS STONE
- ② LIGHT FINE SANDY SILT PESSIES IN CURSIONS SMALL
- ③ BLACK ASH/SAND LAYER PESSIES SMALL FINE
- ④ MID/LIGHT ORANGE SANDY SILT FINE
- ⑤ MID/DARK ORANGE COMPACT PESSIES
- ⑥ SANDSTONE BED ROCK SANDSTONE

Ref Sec B

1M




- ① Wall Foundation Layer X2 Courses Hard Mass Gravel Limestone Mortar
- ② Mid/Light Gray Compaction Sand/Silt/Clay Heels of Chalk Coal
- ③ Light/Mid Orange Fairly Silt/Sand with Chalk Coal Inclusions
- ④ Light Orange Fairly Silt/Sand Clay with Chalk Coal Inclusions

UP T

Ref Sec B Cont'd

- ⑤ Compaction Sand Degraded Sandstone with fossil inclusions
- ⑥ Lenses of light gray clay on top of 8 cut in B Sandstone Natural
- ⑦ Sandstone Natural

Ref Sec C



Ref Sec C



Ref Sec C Contd

1. Brown clay fissures S. of Sand Clay
with Charcoal incursions

2. Light brown sandy S. clay

with brown charcoal back

3. mid light orange & brown S. clay

occasional charcoal

4. Light sandy laminations white

voids of incursions

5. Sandy S. with random pebbles


glacial deposits. pebbles 20-50mm

6. Loess clay white sand

7. Natural sandstone & rock

lens 40cm

RSP Sec D.



- ① yellow/white concrete hard core surface
- ② crushed brick layer no inclusions
- ③ crushed lime/mortar - concrete with grey soil / rubble with lime stone inclusions
- ④ light grey / mid grey sandy soil bed rubble inclusions

14/7/17

RSP Soc D Contd

⑤ Brick Wall of Moss Building found but plans unidentified overall purpose. Located adjacent to party wall & adjoining fence


17/7/17

- TO THE E + NE OF HOUSE + OUTS. GARDEN SOIL OBSERVED, DARK FRAGILE LOAM. CONT. 19M + 20M C.
- INTUITIONS UP TO 1-2M IN DEPTH. INCLUSIONS: BRICK, 19M POT, SHELL
- 1 x 18M CENT BORE NEAR BRICK GARDEN PATH 1M BELOW.

- FURTHER DOWN COMPACTED CROCKED & STONE LAYER BEH SEATING EARLIER SOILS + WASTE.

20.7.17

20.7.17



For
Hoc
Soc

- ① MID/DARK BROWN FINESS SANDY SILT WITH
RED ROUND PEBBLES 3cm IN DIAMETERS
- ② MID BROWN/ORANGE FINESS SANDY SILT WITH
+ CHANCOAL
RED PEBBLES IN CLUSTERS 50-15cm ROUNDED PEELS
PEBBLES ⁴⁻⁵ SLOPES UPWARDS FROM E-W
- ③ MID/DARK BROWN SILTY SAND CLAY LOAM
INTERMEDIATE ROUNDED PEBBLES IN CLUSTERS
SLOPES UP FROM E-W WIDENING FROM 9-18cm
- ④ LIGHT SILTY CLAY SAND LAYER IN THE SOUTH
ROUND PEBBLES IN CLUSTERS 0.5-1cm SLOPES
UP FROM E-W 4-7cm IN DEPTH

Notes / Ideas 29/09/19

Low F. Terrace

WALL BUILT OVER CORNER OF LATERAL

POSSIBLY SOUTHERN END OF TRENCH IN

ROCK LIES UPN FROM CORNER TOWARDS

TO END OF OVERHANGING, LIES ACED

OR NOT AT ALL

TO N. OF DAM STONE WALL #2 = COMPACT LAYER, LAPPING FB ROUGH SOIL OVER WEATHERED BEDROCK



1117. B. P. 0.000

[illegible]

(L.A.) need: vinyl cover

1170 E/1011 4th April 1902

Base of Drain E wall of citewall

[illegible]

Redd, Arnold, Col. R. R. 1878-1880

Wm. H. Miller

Two to 10 (2000) 1998 11-14

10

REP SEC LOCATED E

SIDE OF MOUNT WITHIN RETAINING
WALL, S. OF DEEP STONE WALL

